


CONgenital CORvitia

Project group

B.J.M. Mulder, *AMC Amsterdam*
 E.T. van der Velde, *LUMC Leiden*
 E.Theeuwes, *ICIN*
 H.D.M. Murk-Jansen, *ICIN*
 J.W.J. Vriend, *ICIN*



Steering committee

B.J.M. Mulder, chairman, *ICIN*
 E.T. van der Velde, *LUMC Leiden*
 E.C.M. Mariman, *AZM Maastricht*
 J.E. Speksnijder, *Netherlands Heart Foundation*
 F.J. Meijboom, *EMC Rotterdam*
 H.W. Vliegen, *LUMC Leiden*
 J.H. Romkes, *AMC Amsterdam*
 G. Veen, *VUMC Amsterdam*
 P.G. Pieper, *AZG Groningen*
 N. Sreeram, *UMCU Utrecht*
 G.J. van Mill, *UMC St. Radboud Nijmegen*
 J.L.M. Stappers, *AZM Maastricht*
 J.G.P. Tijssen, *AMC Amsterdam*

Inclusion results - 22 October 2002




Figure 1. CONCOR: number of patients included.




Figure 2. CONCOR most frequent main diagnoses.

Table 1. Prevalence of arrhythmias in specific groups of diagnoses.

	Number of patients
Atrial fibrillation	
Tetralogy of Fallot	17 (6%)
Tricuspid atresia	10 (34%)
Complete transposition of great arteries	5 (15%)
Congenitally corrected transposition of great arteries	6 (4%)
Atrial flutter	
Tetralogy of Fallot	29 (11%)
Functionally univentricular heart	8 (30%)
Complete transposition of great arteries	17 (11%)
Ventricular tachycardia	
Complete transposition of great arteries	5 (3%)
Functionally univentricular heart	1 (4%)
Tetralogy of Fallot	17 (6%)
Ventricular fibrillation	
Complete transposition of great arteries	1 (0.5%)
Tetralogy of Fallot	3 (1%)
Functionally univentricular heart	1 (4%)




Figure 3. CONCOR: age distribution.